

Receiving Report

Date: 10/12/13

Batch No: M116405

Supplier: Material Solution

Dart P/O: 13089

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☐ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 1011214 N/A ☐

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 CL

Production/Admin:

Date 10/12/14

Location

Received/Costing

Initial CL

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel.: 514 633-8010

Customer: 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Shipping Order

09/12/2010

Order : 71195
Reference : PO13089
Bid : 7245
Ship : NOTRE CAMION / OUR TRUCK

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
AR175	ALU ROU 1.000 DIA 7075-T7351 1 X 12' HT; 20108298	24	24	0
AF34112	ALU FLA .750 X 1.500 6061-T6 2 X 20' ** HT; S4969	40	40	0
AS04052	ALU SHE .040 X 4' X 8' 5052H32 2 PCES **** HT;921165	2	2	0

SHIP TST COLLECT
JP


CD10/12/13

DELAI 1 A 2 JOURS MERCI

Shipping : _____
Package No : _____
Ref. : _____
Merchandise Received: _____

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
PO Box 669
Jackson, TN 38302
731-423-2811



CERTIFIED TEST REPORT
<http://KaiserEngProd.com>

CUSTOMER PO NUMBER: N21277		CUSTOMER PART NUMBER: V817721		PRODUCT DESCRIPTION: Cold Finished Round	
KAISER ORDER NUMBER: 644709	LINE ITEM: 1	SHIP DATE: 07/28/2008	ALLOY: 7075	TEMPER: T7351	
WEIGHT SHIPPED: 645 lbs.	QUANTITY: 56 pcs.	B/L NUMBER: 28239	DIAM/DAF/THKNS: 1.000 in.	WIDTH: 0.000 in.	LENGTH: 144.0 in.
SHIP TO:					

8/12/14

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %	COND % IACS
20108298	74.4	63.1	17.0	38.9
	75.3	64.9	17.0	38.9
	74.4	62.5	17.0	38.9

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.10	0.27	1.4	0.04	2.7	0.20	5.8	0.02			20108298
Max	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.15	
Min			1.2		2.1	0.18	5.1				

Specifications

Standard: ISO 9001, ASTM B211-03, AMS 4124D, AMS-QQ-A-225/9

CERTIFICATION

Kaiser Aluminum & Chemical Corporation ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp

Plant Serial: 110393


Kaiser Order Number: 644709

Line Item: 1

KAISER ALUMINUM

FABRICATED PRODUCTS

Tennalum
PO Box 669
Jackson, TN 38302
731-423-2811



CERTIFIED TEST REPORT
<http://KaiserEngProd.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100B:2004 This material meets the requirements of (cold finished) T73 temper and QQ-A-225/9E (CANCELLED).

CERTIFICATION

Kaiser Aluminum & Chemical Corporation ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

Plant Serial: 110393

Kaiser Order Number: 644709

Page 2 of 2

Line Item: 1



impexmetal s.a.

HUTA ALUMINIUM KONIN[®]

62-810 KONIN ul. Hutnicza 1

Tel. (+48 63) 247 44 22

(+48 63) 247 44 88

Fax. (+48 63) 247 47 89

ORIGINAL C61624

INSPECTION CERTIFICATE
EN 10204/3.1

No 315683/02 **Date** 09-11-23

Release Order Number R131811

L/C RRRI- 529515

GOODS DESCRIPTION				
Alloy	Batch No	Dimensions [mm]		Temper
5052	315683/02	Thickness	1,020	H32
		Width	1219,20	
		Length	L	

CHEMICAL ANALYSIS									
Heat/Melt No	Fe	Si	Cu	Mg	Mn	Cr	Ti	Zn	Other
921165	0,393	0,185	0,024	2,474	0,087	0,187	0,014	0,039	

MECHANICAL AND OTHER PROPERTIES					
Slab/Coil No	Rm	R _{0,2}	A ₅₀	Hardness	Other
	[MPa]	[MPa]	[%]	[HB, V]	
9211652	238	190	11	-	-

WE HEREBY CERTIFY THAT THE GOODS COMPLY WITH AMS-QQ-A-250/8A, ASTM B209, ANSH35.2
IN ALL RESPECTS

8/10/12/14
impexmetal s.a.

ul. Łucka 7/9, 00-842 Warszawa

[Signature]
LABORATORY MANAGER

TRANSPORT OR STORAGE CONDITIONS OF ALUMINIUM STRIPS AND SHEETS BY CUSTOMER
Strips (sheets) should be transported by covered, dry and clean means of transport protecting against rust, protecting it from mechanical damage, humidity and harmful environmental factors.
Strips (sheets) should be stored in covered, dry and clean rooms protecting them from humidity and action of active chemicals. Protection of coil edges against mechanical damage should be taken into special account. Bending, folding damage can cause difficulties in recycling process.
The storage temperature must be stable. Changes of the temperature in stock cause that air moisture is condensed on the strip surface, in consequence of capillary activity, between coils, penetrates inside and inducing corrosion.
Disregard of above mentioned transport and storage conditions absolves supplier from responsibility for material quality.

315683-02



MILL TEST REPORT

CUSTOMER:

SAMPLE (S) OF ALUMINUM

DIE NO. S-4969

CUSTOMER ORDER NO.: C62614

CUSTOMER PART NO: V836452

DESCRIPTION 3/4" X 1 1/2" FLAT BAR

AL. ALLOY & TEMPER 6061/T6511

EXTRUDEX ORDER NO. 123949-3-A.11

SPECIFICATION ASTM B221

SILICON % 0.57

IRON % 0.20

COPPER % 0.19

MANGANESE % 0.07

MAGNESIUM % 0.81

CHROMIUM % 0.05

ZINC % 0.02

TITANIUM % 0.02

ALUMINUM %

ALLOY TYPE % REMAINDER

ALLOY CAST NO. 6061

YIELD STRENGTH (IN ksi) 10232

TENSILE STRENGTH (IN ksi) 38.4

42.6


ELONGATION % IN 2" 14.3

HARDNESS (ROCKWELL 'F') 87.7

87.8

88.1

DATE:


P. TABING
(LAB.-TECH.)
JUNE-21-10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO13089**

Purchase Order Date 12/07/10

PO Print Date 12/07/10

Page Number 1 of 2

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 558 8858

514 633 8044

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
12/10/12/10

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M7075T73R1.000 ✓ C210112113	7075-T73 Rd Bar 1.00	12/10/10 Yes	24.00 f	TST ground	\$8.1000	\$194.40
		Special Inst: MATERIAL: 7075-T73 OR 7075-T7351/ T73510/T73511 ROUND BAR PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9					
2	M6061T6B0.750X01.500 ✓ C210112113	6061-T6 Bar .750 X 1.50	12/10/10 Yes	40.00 f	TST ground	\$4.6400	\$185.60
		Special Inst: MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A- 200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221					
3	M5052H32S 040 ✓ C210112113	5052-H32 .040 Sheet	12/10/10 Yes	64.00 sf	TST ground	\$2.2188	\$142.00

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 12/07/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO13089**

Purchase Order Date 12/07/10

PO Print Date 12/07/10

Page Number 2 of 2

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	800 558 8858	Requisition Nbr	
Vendor Fax	514 633 8044	Tax Resale Nbr	10127-2607
Vendor Account Nbr		Terms	Net 30
		Currency	CAD
		FOB	Destination-Collect

Special Inst: MATERIAL: 5052-H32 ALUMINUM
SHEET AS PER
QQ-A-250/8 OR AMS-QQ-A-250/8 OR
AMS 4016 OR
ASTM B209

PO Total: \$522.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 12/07/10

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Chantal Lavoie

From: Jérôme Primeau [j.primeau@metauxsolutions.com]
Sent: December 7, 2010 2:51 PM
To: 'Chantal Lavoie'
Subject: RE: Soumission : 7245

ALSO YES MEDAME

De : Chantal Lavoie [mailto:clavoie@dartaero.com]
Envoyé : Tuesday, December 07, 2010 2:18 PM
À : 'METAUX SOLUTIONS INC.'
Objet : RE: Soumission : 7245

Hi Jerome,
Is the delivery for the 7075t73 round bar 1 to 2 days also or more.
Thanks
Chantal

From: METAUX SOLUTIONS INC. [mailto:j.primeau@metauxsolutions.com]
Sent: December 7, 2010 2:03 PM
To: DART AEROSPACE LTD
Subject: Soumission : 7245

_____ Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5682 (20101207) _____

Le message a été vérifié par ESET NOD32 Antivirus.

<http://www.eset.com>

_____ Information provenant de ESET NOD32 Antivirus, version de la banque de données de virus 5682 (20101207) _____

Le message a été vérifié par ESET NOD32 Antivirus.

<http://www.eset.com>

Bid

07/12/2010

7245

METAUX SOLUTIONS INC.

2108, 32E AVENUE

LACHINE, QUEBEC

H8T 3H7

Tel.: 514 633-8010

Sales Rep. : Jérôme Primeau

Expiration Date : 05/02/2011

Customer: 6323336

Ship To :

DART AEROSPACE LTD

1270, ABERDEEN STREET

HAWKESBURY, ONTARIO

K6A 1K7

Same

Fax: 613 632-1053

Item No.	Description	Qty	Price	Total	Tx
AR175	ALU ROU 1.000 DIA 7075-T7351 2 X 12'	24	8.10	194.40	A
AF34112	ALU FLA .750 X 1.500 6061-T6 2 X 20'	40	4.64	185.60	A
AF1834	ALU FLA .125 X .750 6061-T6 4 X 20'	80	0.58	46.40	A
AF112	ALU FLA 1.0" X 12.00" 6061-T6 1 X 12'	12	49.95	599.40	A
ASQ112	ALU SQU 1.500 6061-T6 1 X 12'	12	9.95	119.40	A
AR34	ALU ROU .750 DIA 6061-T6 2 X 20'	40	2.05	82.00	A
AR1	ALU ROU 1.000 DIA 6061-T6 1 X 20' 1 X 4'	24	2.98	71.52	A
AS04052	ALU SHE .040 X 4' X 8' 5052H32 2 PCES	2	71.00	142.00	A

DELAI 1 A 2 JOURS MERCI

COPY

Subtotal

1 440.72

A) Regist :

HST :

187.29

Total :

1 628.01

7075T73 R 1.000x24bt

M6061T6B0.375X00.750	3.873942105	0	18.1471	12
M6061T6B0.375X03.000	0.377878947	0	13.5	6
M6061T6B0.500X01.000	0.001531579	0	21.591	10
M6061T6B0.500X01.250	3.168373684	0	19.6	10
M6061T6B0.500X05.000	28.41631579	0	41.7636	12
M6061T6B0.500X06.000	24.45324211	0	43.2814	24
M6061T6B0.500X10.000	24.21086316	0	40	24
M6061T6B0.750X00.250	5.619157895	0	16.5	12
M6061T6B0.750X00.750	0.922943162	0	18.44095	24
M6061T6B0.750X01.000	0.821052632	0	40	12
M6061T6B0.750X01.500	5.97E-02	0	10.831	24x40bt
M6061T6B0.750X03.000	2.28E-02	0	53	20
M6061T6B00750X00.125	30.39619474	0	34.8243	80 80bt
M6061T6B1.000X02.000	16.67269474	0	68.8003	40
M6061T6B1.000X02.500	8.08E-02	0	35.36	12
M6061T6B1.000X04.000	33.28456316	0	56.3995	12
M6061T6B1.000X06.000	2.325987994	0	12	6
M6061T6B1.000X12.000	25.53970526	0	20.569	12 12bt
M6061T6B1.000X15.000	5.219473684	0	38.09	24
M6061T6B1.500X01.500	2.629373684	0	7.0252	12 12bt
M6061T6B2.000X01.250	14.51773681	0	27.4555	20
M6061T6B2.000X04.500	2.495783684	0	10.86631	6
M6061T6B2.500X03.500	0.895771111	0	9	8
M6061T6B30000X01.500	5.159783411	0	23.1789	20
M6061T6H1.000	1.926105263	0	6.13	12
M6061T6R0.625	44.34959474	0	54.96	30
M6061T6R0.750	5.251873684	0	2.464842105	40 40bt
M6061T6R1.000	7.849136842	0	13.68	12 24bt
M6061T6R1.250	1.406097368	0	51.48205	12
M6061T6R1.500	0.238736842	0	15.54	2
M6061T6S.125	12.43718982	0	70.56	96
M6061T6T0.375W.035	8.771446674	0	235.511716	100
M6061T6T0.500W.035	11.05106842	0	244.055	100
M6061T6T0.500W.058	32.25105263	0	104.5	80
M6061T6T0.625W.049	3.789473684	0	26	10
M6061T6T1.000W.188	30.71099361	0	53.516368	40
M6061T6T1.500W.125	3.026315789	0	29.5	12
M6061T6T1.750W.065	1.956842105	0	31.959	12
M6061T6T3.500W.375	5.368421053	0	8.5	0
M6061T6T5.000W.125	5.757889474	0	24.3754	6
M6061T6TR4.0X2.0W125	19.80520526	0	40	6
M6061T6TS0.750W.062	74.99468053	0	120.91227	100
M6061T6TS1.000W.065	1.78E-15	0	0	0
M7075T6B1.000X1.000	0.492284592	0	12	10
M7075T6B1.500X1.500	0.221021053	0	16.8526	6

M5052H32S040x64

TRANSMISSION VERIFICATION REPORT

TIME : 12/07/2010 16:14
NAME :
FAX :
TEL :
SER.# : F9N212739

DATE, TIME	12/07 16:13
FAX NO./NAME	15146338044
DURATION	00:00:29
PAGE(S)	02
RESULT	OK
MODE	STANDARD
	ECM



750-1246301 5

Division of TST Solutions L.P.
Une division de TST Solutions L.P.
DUNS No. 242148401 (OVLD)

P/U Trailer - Unite Cueli	LH Trailer - Unite Route
---------------------------	--------------------------

Manifest From - Manifest de Consignee - Consignataire		To - A		NS	NS	Purchase Order No. - N° de Commande		12	10	10
DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		Bill of Lading No. - N° Connaissance		Shipper - Expéditeur METAUX SOLUTION 2108 32E LACHINE, PQ H8T 3H7		Origin MTL		Dest. MTL	C.D. 5	
						Declared Value - Valeur déclarée Type - Genre		MTL		5
						STD		0		01

Bill To - Facturer à		Origin Carrier - Premier Transporteur		O/C Pro No. - N° Facture P/T	M	D-J	Beyond Carrier - Transporteur subs.		S.R.	Amount - Montant
----------------------	--	---------------------------------------	--	------------------------------	---	-----	-------------------------------------	--	------	------------------

Pieces - Coils	H.M.	Description	Weight - Poids	Rate - Taux	Charges - Frais
1		BDL NO DESCRIPTION			
1		SKD NO DESCRIPTION	120		COLLECT
		FUEL SURCHARGE			COLLECT
		Printed on 12/13/2010 @ 09:37			
		** COLLECT **			

Total Pieces Coils total	2	GST# 144612488	Total Weight Poids total	120	Total Charges Frais totaux	COLLECT
-----------------------------	---	----------------	-----------------------------	-----	-------------------------------	---------

E & OE	Print Last Name	A TransForce Company	SW INTACT <input type="checkbox"/> YES <input type="checkbox"/> NO	Connecting Carrier Please - Protect this Amount Au transporteur suivant - Frais à protéger	Any loss or damage must be noted on pro bill at time of delivery, otherwise consignee's signature will constitute clear receipt. Toutes pertes ou dommages doivent être notés sur le connaissement au moment de la livraison, autrement la signature du consignataire constituera un reçu final.	C.O.D. Total P.S.I.	Cash or Certified Cheque Only - Driver Collect This Amount Chèque visé ou argent comptant seulement - à percevoir par le chauffeur
--------	-----------------	----------------------	---	---	---	---------------------------	---

Received in Apparent Good Order- Reçu sans Avoir Apparente	Date	13-12-10	Time In	Time Out	Unit - Unité	Driver - Chauffeur	Signature Copy - Copie de Signature
--	------	----------	---------	----------	--------------	--------------------	-------------------------------------